Subject Index

Acenaphthylene 13
N-Acryl-(methacryl)N,N'-dicyclohexylurea 505
Acrylonitrile 105, 269
Acrylonitrile-butadiene 63
Albumin 306
Alkaline hydrolysis 247
Allytrimethylsilane 29
Alpha-methyl styrene 269
Ammonia gas/tetramethyl = silane 541
Amphoteric macromolecules 551
Analysis 63, 69, 195, 203, 287, 293, 297, 391 397, 429, 433, 585, 593
Anionic initiation 349
Anionic lipids 305
Anionic polymerization 121, 353
9-Anthrylmethylmethacrylate 511
Aromatic polyamides 371
Aromatic polymethacrylates 525
4,4' Azobis (cyanopentanol) 337
4,4'-Azobis (4-cyanopentanol) 171

Behavior 375, 383, 517, 523, 525, 533
p-Benzoquinone 1
Bicyclic oxalactam 121
Binifers 261
Biopolymers 1, 209, 305
Birefringence measurements 287
Blends 223
Blends, melting point elevation 517
Blends, PVDF/PMMA 429
Block copolymers 135
Bovine serum albumin 1
4-(2-Bromopropionyl) phenylacetic acid 49
tetra-n-Butylammonium bromide 237
n-Butyl bromide 159

Calorimetry 195
Carbanions 349
Carbo-cationic polymerization 359
Carrier behaviour 437, 443
Carriers, drift velocity 443
Catalysis 151
Catalysts 81, 85, 89, 91, 215, 313, 471, 479, 485
Cationic oligomerization 459
Cationic polyelectrolyte solutions 185
Cationic polymerization 7, 19, 99, 247, 253
Cationic ring-opening polymerization 247
Cellulose nitrate 281
Charge transfer, intramolecular 545
Chelates 143, 151
Cinnamate ester 191
Cobalt acetylacetonate-triethylaluminum initiator system 105
Cobalt chelates 143
Colloidal properties 497
Combiike polymers 241
Compatible blends 517
Condensation reaction 365, 371
Conformation/interaction/formation 551, 557, 561, 565
Copolymer complexes 557
Copolymerization via zwitterion 465
Copolymers 1, 35, 63, 105, 129, 135, 143, 151, 159, 195, 209, 269
Counter ion activity 185
Cracks 579
Crosslinking 179, 191, 407
Crystallization 297, 319
Cyanide ion exchanger 209
Cycloheptatriene 349

Degradation 325
Detergents 551
Dialkoxicarbenium ions 7
Diamines 151
Dianhydrohexitols 365
3,4-Dicarboxy-4'-chloroformyl biphenyl anhydride 523
Dielectric studies 429
Differential scanning calorimetry 195, 203, 241
Dimethyl-acetamide 237
2,3-Dimethyl-2,3-diphenylbutanediol-1,4-ditosylate 237
2,3-Dimethyl-2,3-diphenyl-1,4-dibromobutane 237
2,5-Dimethyl-2,5-hexane diol 99
Dimethyl sulfoxide 215
Dimethyl terephthalate 533
1,4-Diphenyl-2,3-dimethylbutadiene-1,3 237
1.1-Diphenyl ethene 7
Divinylsalenes 151
Donor-acceptor copolymers 545
Doped films 541
Dynamic light scattering 391

Electrical birefringence 533
Electrical resistance 541
Electron micrography 175
Emulsion polymerization 497
End-capped oligomers 229
Engineering 93
Ethylene polymerization 313
Ethylene-propylene 359

Ferrocene acid anhydrides 109
Fibrinogen 306
Films 287, 293, 401, 541, 545
Flammability 275
Fluoroolefins 35
Formation/Interaction/Conformation 551, 557 561, 565
Fractionation methods 297
Fractures 579
Free-radical cross-linking polymerization 415
Free volume theory 75
Functional polymers 329, 505

Gas chromatography 25, 229
Gelation process 407
Gel cellophane membranes 203
Gel permeation chromatography 25, 281, 297, 397
Gel swelling 421
Glass-transition temperature 523
γ-Globulin 306
Glycidylmethacrylate 159
Grignard coupling 237

HDPE/LDPE blends 223
Heat pulse technique 293
Heparin 305
Hydroperoxides 275
bis-p-2-Hydroxy-2-propylbenzene 99
N-Hydroxysuccinimidester 49
2-Hydroxy-5-vinylbenzaldehyde 143, 151

N-Iminolactams 353
Inifers 261, 341
Initiation 261, 269, 275, 337, 341, 349
Initiators 7, 13, 99, 105, 109, 253
Interaction/formation/conformation 551, 557, 561, 565
IR-Spectroscopy 25, 29, 241, 287, 433
Isobutylene 99, 349
p-Isopropyl-α-methylstyrene 459

Kerr constant 533
Kinetic gelation model 415

Lactams 353
Latexes 497
Light scattering 391
Linear polymers 349
Liquid-crystal polymers 561
Living polymerization 135
Low angle quasi-elastic light scattering 391

Macromers 115, 121, 359, 491
Main-chain-scission 175
Maleic anhydride 511
Melamine resin systems 81
Melt crystallization 41
Melting behavior 297, 375
Melts 75
Membranes 203
Mesophase formation 561
Metal-containing initiators 109
Methods 49, 55
Methyl alkyl maleates 453
Methylbromide 541
Methyl N-(1-cyanopropene-2-yl) itaconamate 129
4,4'-Methylene dianiline 523
Methylenedichloride 13
Methyl iodide 253
Methylmethacrylate 85, 337
Methyl methacrylate oligomers 325
2-Methyl-2-oxazoline 465
5-Methyl-2-oxazoline 247, 253
5-Methyl-2-oxazoline (5-MeOZO) 247
$MgCl_2$ supported titanium catalysts 471, 485
$MgCl_2/TiCl_4/PhCo_2Et\text{-}AlEt_3/PhCO_2Et$ catalyst system 479
$MgO\text{-}TiCl_4$ catalyst 313
Models 319, 325, 415
Monomer-isomerization radical polymerization 453
Monomer syntheses 165
Morphology 401, 573, 579

Networks 319, 407, 573
NMR-Analysis 241
^{13}C-NMR 63, 69
2-D NMR 585
^{1}H-NMR 25, 253
Nylon 4 229

Octadecyloxirane 241
α-Olefins and styrene polymerization 485
Oligomers 229
Organized structures 175
Oxygen Index 275

Performance 29, 35, 49, 171, 175, 179
Peroxides 275
Phase transfer catalysis 493
Phase transfer catalysts 159, 215
Phenol 159
w-Phosphonated polystyrenes 275
Photochemistry 191
Photoconductivity 545
Photo-iniferters 135
Photosensitive polymers 191
Phthalic anhydride 241, 465
Plasma films 541
Plasma proteins, conformation 305
Polarized IR spectroscopy 287
Polyacetylene 401
Polyacrylonitrile copolymers 375
Poly (amide-imide) 523
Polyamide macromers 121, 491
Polyamides 371
Polyampholytes 551
Poly(aryl-ether-ketone), crystallinity 433
Poly(γ-benzyl glutamate) 565
Poly(γ-benzyl-L-glutamate) 447
Poly(4-tert-butyl styrene) 525
Poly(diethylene glycol terephthalate) 533
Poly(dimethylsiloxane) networks 573
Polyelectrolyte-ionic surfactants 175
Polyether synthesis 493
Polyethylene 55, 75, 297
Poly(ethylene glycol) 49
Poly(ethylene terephthalate) 287
Poly(hydroxyethyl acrylate)-co-cellulose 1
Poly(hydroxyethyl acrylate)-co-pectin 1
Polyisobutenyl-dicyclopentadiene 359
Polyisobutylene 19, 261, 319, 341
Polymeric carriers 437
Polymerization mechanisms 353, 359
Polymer processing 93
Polymethacrylic acid, complex formation 557
Poly(methyl alkyl fumarates) 453
Poly(methyl methacrylate) 325
H-H Poly(α-methylstyrene) 237
Poly[oligo (ethylene glycol) dimethacrylates], ^{13}C-NMR 593
Polyoxyethylenated surfactants 69
Polypeptides, D,L-alternating 565
Poly(γ-phenethyl glutamate) 565
Poly(phenyl methacrylate) 525
Polypropylene 41
Poly(propylenimine) 247
Polysaccharides 397
Polystyrene 75, 191, 215, 275
Polysulfides 275
Polyterephthalates 365
Poly [4-(1, 1, 3, 3-tetramethylbutyl) phenyl methacrylate] 525
Poly(2.2.2-trichloroethylmethacrylate) 179
Polyvinyl alcohol, cross-linked 421
Poly(vinyl alcohol), ^{1}H-NMR spectrum 585
Poly(vinylidne fluoride) 195
Poly(vinyl pyridine) macromonomers 115
Poly(N-vinyl-pyrrolidone-co-maleic acid) 437
Propene 89, 91, 349
Properties 185, 191
Propylene polymerization 479
Protohemin-mono-N-histidyl amide 209
2-Pyrrolidone 353

Radiation 179
Radical copolymerization 121
Radical polymerization 135, 453
Reactions 19, 25, 159, 165, 453, 459, 505, 511
Rheology 223
Rupture 179

Schiff's base chelates 143, 151
Scission 179
Sequential copolymers 341
Size exclusion chromatography 25, 281, 297, 397
Soluble polymers 49
Soluble polystyrene 191
Spherulites 579
Star polymers 349
Star-like polymers, three branched 447
Starch 397
Stefan problem 93
Styrene 7, 63, 85, 105, 121
Styrene-divinylbenzene 209
Sulphur containing polymers 165
Sulphuric acid 13
Surfactants 69, 175, 497, 551
Syntheses 229, 237, 241, 447

Telechelic polymers 261, 341
C-Terminal amino acids 49
Terpolymerization 359
Tetramethylsilane/ammonia gas 541
Thermal degradation 325
Thermal diffusivity 293
Thermal gravimetric analysis 229
Thermal stability 229
Three-arm polymers 19
Three branched star-like poly(γ-benzyl-L-glutamate) 447
p-Toluene sulphoyl chloride 1
Transport 285

Trimethylvinyloxysilane 29
TSC studies 429
Turbidimetry 175

Vinyl acetate 129, 269
Vinylamine, random copolymer 557
p-Vinylbenzylamine 121
Vinylidene fluoride 35
Vinyl polymerization 85, 109
Vinylpyrrolidone, random copolymer 557
Viscoelasticity 383

Water soluble polymers 391

X-Ray analysis 241

Ziegler catalysts 85

Author Index

Acierno, D., La Mantia, F. P., Curto, D.: The Rheological Behavior of HDPE/LDPE Blends 4. Instability Phenomena in Capillary Flow 223

Ali, F. M., see Pyriadi, T. M. 129

Allen, P. E. M., Simon, G. P., Williams, D. R. G., Williams, E. H.: ^{13}C-NMR Parameters of some Poly [Oligo (Ethylene Glycol) Dimethacrylates] 593

Anasagasti, S., Leon, L. M.: The Polymerization of Acenaphthylene by Sulphuric Acid in Methylenedichloride 13

Andruzzi, F., Lupinacci, D., Magagnini, P. L., Segre, A. L.: Comblike Polymers. 8. Synthesis and Characterization of an Alternate Copolymer of Phthalic Anhydride and Octadecyloxirane 241

Azori, M., see Czákvári, É., et al. 437

Bacskai, R.: Synthesis and Thermal Stability Evaluation of End-Capped Nylon 4 Oligomers 229

Bak, G. W.: Constant Drift Velocity of Carriers in Organic Compounds 443

Bakis, G., see Kienzle-Sterzer, C. A., et al. 185

Baranov, V. G., see Poddubny, V. I., et al. 41

Bărboiu, V., see Simionescu, C. I., et al. 511

Bărboiu, V., see Simionescu, C. I., et al. 545

Bart, J. C. J., see Moggi, G., et al. 35

Bassett, W., Jr., see Xi, F., et al. 237

Bassett, W., Jr., see Xi, F., et al. 329

Beddows, C. G., Gil, M. H., Guthrie, J. T.: Investigation of the Immobilisation of Bovine Serum Albumin, Trypsin, Acid Phosphatase and Alkaline Phosphatase to Poly(Hydroxyethyl Acrylate)-co-Cellulose and Poly(Hydroxyethyl Acrylate)-co-Pectin 1

Beinert, G., see Rao, P. R., et al. 115

Bekturov, E. A., Kudaibergenov, S. E., Kanapylanova, G. S.: Interaction of Synthetic Polyampholytes with Anionic and Cationic Detergents in Aqueous Solution 551

Bellof, D., Mutter, M.: Soluble Polymers in Organic Synthesis 4. A New Method for Reversible Attachment of C-Terminal Amino Acids to Poly (Ethylene Glycol) Supports 49

Bier, G.: Active Centers of $TiCl_3$ Catalysts for Propene Polymerization Answer to Bukatov et al., Pol. Bull. 11, 89–90, 1983 91

Bimendina, L. A., Kurmanbaeva, A. A.: Complex Formation of Polymethacrylic Acid with Random Copolymer of Vinylpyrrolidone and Vinylamine in Solutions 557

Blumenthal, M., see Gordon, B., et al. 349

Bohlen, H., see Wöhrle, D., et al. 143, 151

Bonardelli, P., see Moggi, G., et al. 35

Boots, H. M. J., Pandey, R. B.: Qualitative Percolation Study of Free-Radical Cross-Linking Polymerization 415

Boro, I., see Engeln, I., et al. 293

Brekner, M.-J., see Schneider, H. A., et al. 383

Brossas, J., see Chiotis, A., et al. 275

Brossas, J., see Clouet, G., et al. 171

Brossas, J., see Clouet, G., et al. 337

Brossas, J., see Friedmann, G., et al. 25

Brown, L. R., see Gippert, G. P. 585

Brožek, J., Rehak, P., Roda, J., Králiček, J.: Polymerization of Lactams. 70. Anionic Polymerization of 2-Pyrrolidone Accelerated with N-Iminolactams 353

Bukatov, G. D., Zakharov, V. A., Yermakov, Yu. I.: Active Centers of $TiCl_3$ Catalysts for Propene Polymerization Comments to Bier, G., Pol. Bull. 7, 177–184 (1982) 89

Cacioli, P., Moad, G., Rizzardo, E., Serelis, A. K., Solomon, D. H.: The Use of Model Compounds in Interpreting the Thermal Degradation of Poly(Methyl Methacrylate). Effect of Groups Produced During Termination of Polymerization 325

Canessa, G. S., Pooley, S. A., Parra, M., Rivas, B. L.: Copolymerization via Zwitterion 2. Phtalic Anhydride and 2-Methyl-2-Oxazoline 465

Cantow, H.-J., see Schneider, H. A., et al. 383

Čefelín, P., see Janout, V., et al. 215

Chalmers, J. M., Gaskin, W. F., Mackenzie, M. W.: Crystallinity in Poly(Ary-Ether-Ketone) Plaques Studied by Multiple Internal Reflection Spectroscopy 433

Chang, V. S. C., see Jiang, C.-Y., et al. 319

Chang, V. S. C., see Lackey, J. E., et al. 19

Chiotis, A., Clouet, G., Brossas, J.: Effect of Free Radicals Generating Compounds Towards the Flammability of *w*-Phosphonated Polystyrenes – V 275

Chiriac, C. I.: Aromatic Polyamides. A New Direct Condensation Reaction 371
Clouet, G., Knipper, M., Brossas, J.: Thermal Decomposition of 4,4'-Azobis(4-Cyanopentanol) 171
Clouet, G., Knipper, M., Brossas, J.: Kinetics of the Polymerization of Methylmethacrylate with 4,4'-Azobis(4-Cyanopentanol) as Initiator 337
Clouet, G., see Chiotis, A., et al. 275
Corno, C., Platone, E., Ghelli, S.: ^{13}C-NMR Analysis of Polyoxyethylenated Surfactants 69
Csákvári, É., Azori, M., Tüdős, F.: Physico-Chemical Studies of Polymeric Carriers 3. Potentiometric Titrational Behavior of Poly(N-Vinyl-Pyrrolidone-Co-Maleic Acid) 437
Curto, D., see Acierno, D., et al. 223

Díaz, F. R., see Tagle, L. H., et al. 493
Díaz, F. R., see Tagle, L. H., et al. 523
Dimonie, M., see Mateescu, M. A., et al. 421

Eder G., Janeschitz-Kriegl, H.: Stefan Problem and Polymer Processing 93
Engeln, I., Boro, I., Hinrichsen, G.: The Heat Pulse Technique for Measuring Specific Heat and Thermal Diffusivity Applied to Thin Polymeric Films 293

Farona, M. F., Kennedy, J. P.: Macromers by Carbo-Cationic Polymerization 5. Synthesis of Polyisobutenyl-Dicyclopentadiene and Its Terpolymerization with Ethylene-Propylene to a New EPM-Isobutylene Graft 359
Farrall, M. J.: Preparation of Photosensitive Polymers Containing Pendant Cinnamic Acid, Ethyl Cinnamate of Cinnamaldehyde Groups by Chemical Modification of Polystyrene 191
Fleischer, G.: Temperature Dependence of Self Diffusion of Polystyrene and Polyethylene in the Melt. An Interpretation in Terms of the Free Volume Theory 75
Friedmann, G., Brossas, J.: 3. Telechelic Diene Prepolymers: Oligomers of Butadiene with Hydrogenosilane Endgroups 25
Frushour, B. G.: Melting Behavior of Polyacrylonitrile Copolymers 375

Gandhi, V. G., see Kalyanam, N., et al. 105
Gargallo, L., Ríos, H., Radic, D.: Polymer Cosolvent System. 4. Influence of Nature and Size of the Lateral Group in the Preferential Solvation of Aromatic Polymethacrylates in Tetrahydrofuran/Water 525
Gaskin, W. F., see Chalmers, J. M., et al. 433
Ghelli, S., see Corno, C., et al. 69
Gill, M. H., see Beddows, C. G., et al. 1
Gippert, G. P., Brown, L. R.: Absolute Configurational Assignments for the ^{1}H-NMR Spectrum of Poly(Vinyl Alcohol) by Use of Two-Dimensional NMR Methods 585
Gordon, B., Blumenthal, M., Loftus, J. E.: Delocalized Carbanions: Linear and Star Polymers by Anionic Initiation 349
Grigoraş, M., see Simionescu, C. I., et al. 511
Grigoraş, M., see Simionescu, C. I., et al. 545
Guthrie, J. T., see Beddows, C. G., et al. 1

Halary, J. L., see Leonard, C., et al. 195
Hallensleben, M. L., Möller, K.: Reactions of Dialkoxicarbenium Ions with Styrene and 1.1-Diphenyl Ethene 7
Harada, A., Nozakura, S.-i.: Formation of Organized Structures in Systems of Polyelectrolyte-Ionic Surfactants 175
Hasegawa, H., see Kokufuta, E., et al. 209
Hashimoto, K., Sumitomo, H., Kawasumi, M.: Preparation of a New Polyamide Macromer Having a Vinylbenzyl Group from Bicyclic Oxalactam and its Radical Copolymerization with Styrene 121
Higuchi, A., Komiyama, J., Iijima, T.: The States of Water in Gel Cellophane Membranes 203
Hilczer, B., see Medycki, W., et al. 429
Hinrichsen, G., see Engeln, I., et al. 293
Hofinger, M., see Nuyken, O. 165
Holmberg, K.: Low Temperature Acid Catalyzed Curing of Melamine Resin Systems 81
Howe, S. E., see Runt, J., et al. 517
Hradil, J., Švec, F.: Phase Transfer Catalysis 2. The Reaction Between Phenol and n-Butyl Bromide Catalyzed with Polyethyleneglycols Fixed on Macroporous Glycidylmethacrylate Copolymers 159
Hrudková, H., see Janout, V., et al. 215

Iijima, T., see Higuchi, A., et al. 203
Inagaki, N., Kobayashi, H., Shimohira, K.: Effects of Functional Groups in Glow Discharge Polymerization 29

Inagaki, N., Suzuki, K.: Moisture Sensor Device of Plasma-Films Doped with Methylbromide 541

Janeschitz-Kriegl, H., see Eder, G. 93
Janout, V., Kahovec, J., Hrudková, H., Švec, F., Čefelin, P.: Polymer-Supported Dimethyl Sulfoxide as Phase-Transfer Catalyst 215
Jasse, B., see Rietsch, F. 287
Jiang, C.-Y., Mark, J. E., Chang, V. S. C., Kennedy, J. P.: The Use of Model Polyisobutylene Networks to Study Strain-Induced Crystallization 319

Kahovec, J., see Janout, V., et al. 215
Kalyanam, N., Gandhi, V. G., Sivaram, S.: Acrylonitrile Copolymers Using Cobalt Acetylacetonate-Triethylaluminum Initiator System. 5. Monomer Sequence Distributions in Acrylonitrile-Styrene Copolymers 105
Kanapylanova, G. S., see Bekturov, E. A., et al. 551
Kashiwa, N., Toyota, A.: $MgCl_2$ Supported Titanium Catalyst Prepared by Mechanical Pulverization 471
Kashiwa, N., Tsutsui, T.: Highly Active MgO-Supported $TiCl_4$ Catalyst for the Ethylene Polymerization 313
Kashiwa, N., Yoshitake, J.: Kinetic Study on Propylene Polymerization by a High Activity Catalyst System: $MgCl_2/TiCl_4/PhCO_2Et$-$AlEt_3/PhCO_2Et$ 479
Kashiwa, N., Yoshitake J.: Polymerizations of α-Olefins and Styrene with $MgCl_2$-Supported Titanium Catalyst System: $MgCl_2/TiCl_4/PhCO_2Et$ with $AlEt_3PhCO_2Et$ 485
Kawasumi, M., see Hashimoto, et al. 121
Kennedy, J. P., see Farona, M. F. 359
Kennedy, J. P., see Jiang, C.-Y., et al. 319
Kennedy, J. P., see Lackey, J. E., et al. 19
Kennedy, J. P., see Santos, R., et al. 261
Kennedy, J. P., see Santos, R., et al. 341
Kienzle-Sterzer, C. A., Bakis, G., Rodriquez-Sanchez, D., Rha, C. K.: Counter-Ion Activity in a Cationic Polyelectrolyte Solution 185
Knipper, M., see Clouet, G., et al. 171
Knipper, M., see Clouet, G., et al. 337
Kobayashi, H., see Inagaki, N., et al. 29
Kobayashi, S., Morikawa, K., Shimizu, N., Saegusa, T.: Kinetics and Mechanism of Cationic Polymerization of 5-Methyl-2-Oxazoline. Concurrent Propagation Through Ionic and Covalent Species with Methyl Iodide Initiator 253
Kobayashi, S., Shimizu, N., Saegusa, T.: Cationic Polymerization of 5-Methyl-2-Oxazoline and Alkaline Hydrolysis of Product Polymer to Linear Poly(Propylenimine) 247
Kokufuta, E., Hasegawa, H., Nakamura, I.: Preparation of Copoly(Styrene-Divinylbenzene) Covalently Bonded Protohemin-mono-N-Histidyl Amide and Its Functional Property as Cyanide Ion Exchanger 209
Komiyama, J., see Higuchi, A., et al. 203
Kothandaraman, H., Venkatarao, K., Ravi Kumar, L., Palanivelu, K.: Vinyl Polymerization by Ziegler Catalysts 85
Králiček, J., see Brožek, J., et al. 353
Krüger, J. K., see Medycki, W., et al. 429
Kryszewski, M., see Nadolski, B. 55
Kudaibergenov, S. E., see Bekturov, E. A., et al. 551
Kuriyama, A., see Otsu, T. 135
Kurmanbaeva, A. A., see Bimendina, L. A. 557

Lackey, J. E., Chang, V. S. C., Kennedy, J. P., Zhang, Z.-M., Sung, P.-H., Mark, J. E.: Polyisobutylene Model Elastomers Prepared Using Demonstrably Complete End-Linking Reactions. 2. Elongation Moduli of the Trifunctional Networks Prepared from the Three-Arm Polymers 19
La Mantia, F. P., see Acierno, D., et al. 223
Lavrentyev, V. K., see Poddubny, V. I., et al. 41
Lednický, F.: Morphology of Coalescence Processes: Secondary Fracture, Cracks and Spherulites 579
Leising, G.: Fully Oriented Non-Fibrous Crystalline Polyacetylene 401
Leon, L. M., see Anasagasti, S. 13
Leonard, C., Halary, J. L., Monnerie, L., Micheron, F.: DSC Studies on the Transitions in Poly(Vinylidenefluoride) and some Related Copolymers 195
Lillya, C. P., see Xi, F. et al. 237
Lipatov, Y., see Tsukruk, V., et al. 561
Loftus, J. E., see Gordon, B., et al. 349
Lokhonya, O., see Tsukruk, V., et al. 561
Lucca Freitas, de L. L., Maldaner Jacobi, M., Stadler, R.: Synthesis of Networks in Solution 1. Influence of the Gelation on the Crosslink Kinetics 407
Lüders, H., see Thiem, J. 365
Lupinacci, D., see Andruzzi, F., et al. 241
Lutz, P., see Rao, P. R., et al. 115

Mackenzie, M. W., see Chalmers, J. M., et al. 433
Magagnini, P. L., see Andruzzi, F., et al. 241
Maior, O., see Mateescu, M. A., et al. 421
Maldaner Jacobi, M., see Lucca Freitas, L. L. de, et al. 407

Maréchal, E., Nguyen, H. A. 99
Mark, J. E., see Jiang, C.-Y., et al. 319
Mark, J. E., see Lackey, J. E., et al. 19
Mark, J. E., see Tang, M.-Y. 573
Marx, A., see Medycki, W., et al. 429
Marx-Figini, M., Soubelet, O.: Size Exclusion Chromatography of Cellulose Nitrate. Molecular Weight Averages and Molecular Weight Distributions 281
Masson, P., see Rao, P. R. 115
Mateescu, M. A., Schell, H. D., Dimonie, M., Todireanu, S., Maior, O.: Some Peculiar Properties of Cross-Linked Polyvinyl Alcohol (CL-PVA) Related to the Reticulation Degree 421
Mathot, V. B. F., Pijpers, M. F. J.: Crystallization and Melting Behavior of Polyethylene Fractions Obtained by Various Fractionation Methods 297
Maw, TS., see Piirma, I. 497
Medycki, W., Hilczer, B., Krüger, J. K., Marx, A.: Dielectric and TSC Study of Semicompatible PVDF/PMMA Blends 429
Mendicuti, F., Saiz, E.: Kerr Constant of Dimethyl Terephthalate and Poly(Diethylene Glycol Terephthalate) 533
Meyer, G., see Wöhrle, D., et al. 143, 151
Micheron, F., see Leonard, C., et al. 195
Mikhailova, N. V., see Poddubny, V. I., et al. 41
Moad, G., see Cacioli, P., et al. 325
Möller, K., see Hallensleben, M. L., et al. 7
Moggi, G., Bonardelli, P., Monti, C., Bart, J. C. J.: Vinylidene Fluoride Copolymers with Fluoroolefins 35
Monnerie, L., see Leonard, C., et al. 195
Monti, C., see Moggi, G., et al. 35
Morikawa, K., see Kobayashi, S., et al. 253
Müller, G.: Dynamic Light Scattering from Dilute and Semi-Dilute Water Soluble Flexible Polymer Solutions. Polyacrylamides in the Presence of Salt 391
Mun, Y., Otsu, T.: Metal-Containing Initiator Systems 31. Vinyl Polymerization with Ferrocene-Acid Anhydride Systems 109
Munoz, A. M., see Tagle, L. H., et al. 493
Mutter, M., see Bellof, D. 49

Nadolski, B., Uznański, P., Wróbel, A. M., Kryszewski, M.: An Improved Method for the Preparation of Polyethylene Oriented Matrices Suitable for Linear Dichroism Studies 55
Nagao, M., Suzuki, T., Sasaki, S., Uematsu, I.: Molecular Conformations of D,L-Alternating Polypeptides. 1. Poly(γ-Benzyl Glutamate) and Poly(γ-Phenethyl Glutamate) 565
Nakajima, A., see Nakanishi, E., et al. 305
Nakajima, A., see Oka, M. 447
Nakamura, I., see Kokufuta, E., et al. 209
Nakanishi, E., Sato, H., Nakajima, A.: Conformation Study on the Interactions of Plasma Proteins with Anionic Lipids and Heparin 305
Nguyen, H. A., Maréchal, E.: Cationic Polymerization of Isobutylene Initiated by Diol/Boron Trichloride Systems 99
Nozakura, S.-i., see Harada, A. 175
Nuyken, O., Hofinger, M.: New Sulfur Containing Polymers 5. Monomer Syntheses 165

Oka, M., Nakajima, A.: Synthesis and Characterization of Three-Branched Star-Like Poly(γ-Benzyl-L-Glutamate) 447
Oprea, C. V., Popa, M.: Mechanochemically Initiated Copolymerizations. 3. Copolymerization of Acrylonitrile with Vinyl Acetate and with Alpha-Methyl Styrene 269
Otsu, T., Kuriyama, A.: Living Mono- and Biradical Polymerizations in Homogeneous System. Synthesis of AB and ABA Type Block Copolymers 135
Otsu, T., see Mun, Y. 109
Otsu, T., Toyoda, N.: High Molecular Weight Poly(Methyl Alkyl Fumarates): Radical High Polymerization of Methyl Alkyl Fumarates and Monomer-Isomerization Radical Polymerization of Methyl Alkyl Maleates 453

Palanivelu, K., see Kothandaraman, H., et al. 85
Pandey, R. B., see Boots, H. M. J. 415
Parra, M., see Canessa, G. S., et al. 465
Piirma, I., Maw, T. S.: Emulsion Polymerization: Some Nonionic Emulsifier Effects 497
Pijpers, M. F. J., see Mathot, V. B. F. 297
Platone, E., see Corno, C., et al. 69
Poddubny, V. I., Lavrentyev, V. K., Shevelev, V. A., Mikhailova, N. V., Sidorovich, A. V., Baranov, V. G.: Melt Crystallization of Polypropylene: Structure Formation 41
Pooley, S. A., see Canessa, G. S., et al. 465
Popa, M., see Oprea, C. V., et al. 269
Pyriadi, T. M., Ali, F. M.: Copolymerization of Vinyl Acetate with Methyl N-(1-Cyanopropene-2-YI) Itaconamate 129

Radic, D., see Gargallo, L., et al. 525
Rao, P. R., Masson, P., Lutz, P., Beinert, G., Rempp, P.: Synthesis and Characterization of Polyvinylpyridine Macromonomers 115
Ravi Kumar, L., see Kothandaraman, H. et al. 85
Rehak, P., see Brožek, J., et al. 353
Rempp, P., see Rao, P. R., et al. 115
Rha, C. K., see Kienzle-Sterzer, C. A., et al. 185
Rietsch, F., Jasse, B.: A Study of Molecular Orientation in One-Way Drawn Poly(Ethylene Terephthalate) Films by Means of Polarized Infra-Red Spectroscopy and Birefringence Measurements 287
Rim, P. B., see Runt, J., et al. 517
Rinaudo, M., see Salemis, Ph. 397
Ríos, H., see Gargallo, L., et al. 525
Rizzardo, E., see Cacioli, P., et al. 325
Roda, J., see Brožek, J., et al. 353
Rodriquez-Sanchez, D., see Kienzle-Sterzer, C. A., et al. 185
Rosiak, J., Schnabel, W.: High-Energy Radiation-Induced Main-Chain Scission and Crosslinking of Poly-2.2.2-Trichloroethylmethacrylate 179
Runt, J., Rim, P. B., Howe, S. E.: Melting Point Elevation in Compatible Polymer Blends 517

Saegusa, T., see Kobayashi, S., et al. 247, 253
Salemis, Ph., Rinaudo, M.: Gel Permeation Chromatography of Starch and Other Uncharged Polysaccharides 397
Santos, R., Kennedy, J. P., Toman, L.: New Telechelic Polymers and Sequential Copolymers by Polyfunctional Initiator-Transfer-Agents (Inifers) 42. Telechelic Polyisobutylenes by Brominated Inifers 341
Santos, R., Kennedy, J. P., Walters, M.: New Telechelic Polymers and Sequential Copolymers by Polyfunctional Initiator-Transfer Agents (Inifers) 40. Telechelic Polyisobutylenes by Sterically Hindered Binifers 261
Sasaki, S., see Nagao, M., et al. 565
Sato, H., see Nakanishi, E., et al. 305
Schell, H. D., see Mateescu, M. A., et al. 421
Schnabel, W., see Rosiak, J. 179
Schneider, H. A., Cantow, H.-J., Brekner, M.-J.: Interrelations Between Shift Factors of Viscoelastic Functions and Apparent Activation Energy of Flow 383
Segre, A. L., see Andruzzi, F., et al. 241
Serelis, A. K., see Cacioli, P., et al. 325
Shanjun, Li, see Shoukuan, Fu, et al. 505
Shevelev, V. A., see Poddubny, V. I., et al. 41
Shilov, V., see Tsukruk, V., et al. 561
Shimizu, N., see Kobayashi, S., et al. 247, 253
Shimohira, K., see Inagaki, N., et al. 29
Shoukuan Fu, Shanjun Li, Vogl, O.: Functional Polymers. 36. N-Acryl(Methacryl) N,N'-Dicyclohexylurea: Monomers and Polymers 505
Siaz, E., see Mendicuti, F. 533
Sidorovich, A. V., see Poddubny, V. I., et al. 41
Simionescu, C. I., Bărboiu, V., Grigoraş, M.: Intramolecular Charge-Transfer Complexes. 22. Photoconductivity of Donor-Acceptor Copolymers in Thin Samples 545
Simionescu, C. I., Grigoraş, M., Bărboiu, V.: Copolymerization of 9-Anthrylmethylmethacrylate with Maleic Anhydride 511
Simon, G. P., see Allen, P. E. M., et al. 593
Sivaram, S., see Kalyanam, N., et al. 105
Solomon, D. H., see Cacioli, P., et al. 325
Soubelet, O., see Marx-Figini, M. 281
Stadler, R., see Lucca Freitas, L. L. de, et al. 407
Sumitomo, H., see Hashimoto, K., et al. 121
Sung, P.-H., see Lackey, J. E., et al. 19
Suzuki, K., see Inagaki, N. 541
Suzuki, T., see Nagao, M., et al. 565
Švec, F., see Hradil, J. 159
Švec, F., see Janout, V., et al. 215

Tagle, L. H., Díaz, F. R., Muñoz, A. M.: Polymerization by Phase Transfer Catalysis. 1. Polyethers Synthesis 493
Tagle, L. H., Díaz, F. R., Vega, R. J.: Glass Transition Temperature–Molecular Weight Relation of a Poly(Amide-Imide) 523
Tang, M.-Y., Mark, J. E.: Comparisons Between Poly(Dimethylsiloxane) Networks Filled with Particles of Poly(Dimethylsiloxane) Thermosets and Unfilled Bimodal Networks Prepared from the Same Components 573
Teyssié, M., Villesange, M., Vairon, J. P.: Stable Carbocationic Species Observed During the Oligomerization of *p*-Isopropyl-α-Methylstyrene Initiated by CF_3SO_3H in CH_2Cl_2 Solution 459
Thiem, J., Lüders, H.: Synthesis of Polyterephthalates Derived from Dianhydrohexitols 365
Todireanu, S., see Mateescu, M. A., et al. 421
Toman, L., see Santos, R., et al. 341
Toyoda, N., see Otsu, T. 453
Toyota, A., see Kashiwa, N. 471

Tsukruk, V., Shilov, V., Lokhonya, O., Lipatov, Y.: Changes of Liquid-Crystalline Polymer Structure with Temperature. 4. Kinetics of Mesophase Formation from Isotropic Melt 561
Tsutsui, T., see Kashiwa, N. 313
Tüdős, F., see Czákvári, É., et al. 437

Uematsu, I., see Nagao, M., et al. 565
Uznański, P., see Nadolski, B., et al. 55

Vairon, J. P., see Teyssié, D., et al. 459
Vega, R. J., see Tagle, L. H., et al. 523
Venkatarao, K., see Kothandaraman, H., et al. 85
Villesange, M., see Teyssié, D., et al. 459
Visintainer J.: Determination of the Microstructure of Acrylonitrile-Butadiene and Styrene-Butadiene Copolymers Using Carbon-13 NMR 63
Vogl, O., see Shoukuan Fu, et al. 505
Vogl, O., see Xi, F., et al. 237
Vogl, O., see Xi, F., et al. 329

Walters, M., see Santos, R., et al. 261
Williams, D. R. G., see Allen, P. E. M., et al. 593
Williams, E. H., see Allen, P. E. M., et al. 593
Wöhrle, D., Bohlen, H., Meyer, G.: Polymeric Schiff's Base Chelates and Their Precursors 5[a)] Copolymerization of 2-Hydroxy-5-Vinylbenzaldehyde and Synthesis of Covalently Polymer Bound Cobalt Chelates 143
Wöhrle, D., Bohlen, H., Meyer, G.: Polymeric Schiff's Base Chelates and Their Precursors 6[a)] Covalently Polymer Bound Cobalt Chelates from Divinylsalenes and Their Dioxygen Binding and Catalytic Activity 151
Wróbel, A. M., see Nadolski, B., et al. 55

Xi, F., Bassett, W., Jr., Lillya, C. P., Vogl, O.: An Unusual Route to 1,4-Diphenyl-2,3-Dimethylbutadiene-1,3 237
Xi, F., Bassett, W., Jr., Vogl, O.: Functional Polymers. 33.2[2-Hydroxy-4-Acryloxy (Methacryloxy)-Phenyl]2H-4-Methoxybenzotriazole. Monomers, Polymers and Copolymers 329

Yermakov, Yu. I., see Bukatov, G. D., et al. 89
Yoshitake, J., see Kashiwa, N., 479, 485

Zakharov, V. A., see Bukatov, G. D., et al. 89
Zhang, Z.-M., see Lackey, J. E., et al. 19